

Table 27
Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age
Louisiana Residents, 2000

CAUSE OF DEATH AND ICD-10 CODE	TOTAL	RATES		RACE SEX	AGE IN YEARS														UNK
		CRUDE+	AGE- ADJ**		LT	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+		
					1	4	9	14	19	24	34	44	54	64	74	84			
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	164 80 54 17 13 - -	3.7	3.9 5.8 3.2 3.8 2.1 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	* * - * * - -	* * - * * - -	* * - * * - -	* * - * * - -	* * - * * - -	* * - * * - -	17 13 * * * - -	21 10 8 * * - -	36 18 14 * * - -	35 17 13 * * - -	30 14 8 * * - -	9 * 6 * * - -	- - - - - - -	
Malignant of lymphoid, Hematopoietic and related tissue (C81-C96)	877 352 322 113 84 * *	19.6	21.3 28.2 18.0 28.5 13.9 6.3 4.4	ALL WM WF BM BF OM OF	- - - - - - -	* - - * * - -	* - * - - - -	* - * - - - -	5 * * * - - -	* * * * - - -	* * 5 5 5 * - -	14 20 9 5 5 * -	20 31 24 16 8 * -	82 59 31 24 30 21 * -	133 101 78 32 18 * -	232 107 78 106 21 * -	249 107 106 16 19 * -	137 37 71 18 11 * -	- - - - - - -
Hodgkin's disease (C81)	16 * 10 - * * -	0.4	0.4 0.3 0.6 0.0 0.2 1.5 0.0	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -						
Non-Hodgkin's lymphoma (C82-C85)	323 130 142 27 22 * -	7.2	7.9 10.4 8.0 6.3 3.8 3.3 0.0	ALL WM WF BM BF OM OF	- - - - - - -	5 * * * * * -	10 5 17 * * * -	36 17 19 12 7 * -	51 19 29 18 32 * -	74 29 47 32 43 * -	97 47 12 31 * * -	50 12 31 * * * -	- - - - - - -						
Leukemia (C91-C95)	348 149 123 44 30 * *	7.8	8.5 12.2 6.9 11.0 4.8 1.5 2.7	ALL WM WF BM BF OM OF	- - - - - - -	* - - * * - -	* - * * * - -	- - * * * - -	5 * * * * - -	* * * * * - -	8 * * * * 5 * -	8 * 7 * * * * -	29 9 21 9 9 * -	45 21 9 35 7 6 8 -	99 49 35 7 8 * -	88 40 38 5 * * -	61 21 28 10 * * -	- - - - - - -	
Multiple myeloma and immuno- Proliferative, neoplasms (C88, C90)	189 68 47 42 31 * *	4.2	4.6 5.2 2.6 11.2 5.2 0.0 1.7	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	* * * * * * -	13 * * * * * -	36 18 * 8 6 * -	56 22 10 16 8 * -	60 19 22 11 8 * -	23 * 9 * 6 * * -	- - - - - - -						
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	* * - - - - -	0.0	0.0 0.1 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -						
All other and unspecified malignant neoplasms (Other in C00-C97)	1085 410 358 156 155 * *	24.3	26.4 33.1 20.3 38.5 25.5 6.7 5.8	ALL WM WF BM BF OM OF	- - - - - - -	* - - * * - -	* - * * * - -	* - * * * - -	5 * * * * - -	* * * * * - -	10 * * * * * -	38 7 12 8 11 * -	114 38 25 25 25 * -	184 64 55 37 26 * -	260 126 74 28 30 * -	330 121 122 46 40 * -	136 47 66 7 16 * -	- - - - - - -	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	272 95 110 28 38 - *	6.1	6.7 8.0 6.1 6.4 6.1 0.0 2.0	ALL WM WF BM BF OM OF	* - - * * - *	- - - - - - -	* - * * * - -	* - * * * - -	* - * * * - -	* - * * * - -	* - * * * * -	13 5 * * * * -	11 * * * * * -	36 14 12 5 5 - -	67 19 31 10 6 * -	90 39 39 * 8 * -	46 13 22 * 10 * -	- - - - - - -	

Table 27
Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age
Louisiana Residents, 2000

CAUSE OF DEATH AND ICD-10 CODE	TOTAL	RATES		RACE SEX	AGE IN YEARS														UNK
		CRUDE+	AGE- ADJ**		LT	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+		
					1	4	9	14	19	24	34	44	54	64	74	84			
Anemias (D50-D64)	110 26 37 18 28 - *	2.5	2.7 2.5 2.0 4.0 4.2 0.0 2.7	ALL WM WF BM BF OM OF	- - - - - - -	* - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	
Diabetes mellitus (E10-E14)	1689 426 521 266 472 * *	37.8	41.3 34.8 28.7 66.0 79.7 1.8 5.4	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	* * - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Nutritional deficiencies (E40-E64)	119 22 51 21 25 - -	2.7	3.0 2.0 2.7 6.0 4.2 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	* - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Malnutrition (E40-E46)	112 20 48 20 24 - -	2.5	2.8 1.9 2.6 5.8 4.0 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	* - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Other nutritional deficiencies (E50-E64)	7 * * * * - -	0.2	0.2 0.2 0.2 0.3 0.2 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Meningitis (G00,G03)	16 - 7 5 * - -	0.4	0.4 0.0 0.5 1.2 0.5 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	* - * - - - -	* - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Parkinson's disease (G20-G21)	196 93 83 12 8 - -	4.4	5.0 8.7 4.4 3.7 1.3 0.0 0.0	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Alzheimer's disease (G30)	811 220 445 44 96 * *	18.1	20.9 22.4 22.9 14.5 16.0 12.2 8.0	ALL WM WF BM BF OM OF	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
Major cardiovascular disease (I00-I78)	14913 4931 5540 2057 2317 32 36	333.7	371.0 428.2 294.2 535.3 384.3 97.6 86.0	ALL WM WF BM BF OM OF	9 * - 5 * - -	7 * - * * - -	* * * * * - -	* * * * * - -	12 * - 5 * - -	25 5 6 10 7 7 -	63 26 10 54 17 10 -	369 120 54 118 75 - *	968 327 150 271 217 * -	1643 675 314 369 273 8 *	2819 1162 774 453 414 10 6	4381 1585 1699 497 580 5 15	4604 1020 2529 309 731 6 9	5 * - * * - -	

Table 27
Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age
Louisiana Residents, 2000

CAUSE OF DEATH AND ICD-10 CODE	TOTAL	RATES		RACE SEX	AGE IN YEARS															
		CRUDE+	AGE- ADJ**		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+ UNK			
Diseases of heart (I00-I09, I11, I13, I20, I51)	11551	258.5	286.7	ALL	7	5	*	*	*	9	19	43	307	763	1365	2257	3351	3415	5	
	4077		350.7	WM	*	*	*	*	*	*	*	20	112	284	595	976	1276	801	*	
	4174		222.3	WF	*	*	*	*	*	*	5	5	43	121	261	609	1279	1849	-	
	1580		408.7	BM	*	*	*	*	*	*	6	11	96	211	287	355	368	233	*	
	1667		276.6	BF	*	*	*	*	*	*	*	7	54	145	213	305	411	521	*	
	22		68.0	OM	-	-	-	-	-	-	-	-	-	*	5	7	*	*	-	
	31		73.3	OF	-	-	-	-	-	-	-	-	-	*	-	5	13	7	-	
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	39	0.9	0.9	ALL	-	-	-	-	-	*	-	-	-	*	9	10	6	9	-	
	9		0.7	WM	-	-	-	-	-	*	-	-	-	*	*	*	*	-	-	
	18		1.0	WF	-	-	-	-	-	*	-	-	-	*	*	5	*	7	-	
	*		0.7	BM	-	-	-	-	-	-	-	-	-	*	-	-	-	*	-	
	9		1.5	BF	-	-	-	-	-	-	-	-	-	-	*	*	*	*	-	
	-		0.0	OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		0.0	OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (I11)	901	20.2	22.2	ALL	-	-	-	-	-	-	*	32	85	125	176	249	231	-		
	185		15.7	WM	-	-	-	-	-	-	*	8	14	28	48	50	35	-		
	278		14.7	WF	-	-	-	-	-	-	*	*	9	11	33	93	128	-		
	215		53.5	BM	-	-	-	-	-	-	*	10	38	51	49	44	22	-		
	220		36.9	BF	-	-	-	-	-	-	*	10	24	34	45	62	45	-		
	*		5.7	OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	*		3.7	OF	-	-	-	-	-	-	-	-	-	-	*	*	-	-		
Hypertensive heart and renal disease (I13)	74	1.7	1.8	ALL	-	-	-	-	-	-	*	*	5	6	15	18	26	-		
	16		1.5	WM	-	-	-	-	-	-	*	-	-	*	6	*	5	-		
	17		0.9	WF	-	-	-	-	-	-	-	-	-	*	*	5	10	-		
	19		5.3	BM	-	-	-	-	-	-	-	*	*	*	5	*	5	-		
	22		3.6	BF	-	-	-	-	-	-	-	*	*	*	*	6	6	-		
	-		0.0	OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	-		0.0	OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ischemic heart diseases (I20-I25)	7384	165.2	183.0	ALL	-	-	-	-	*	*	16	182	486	925	1509	2223	2033	5		
	2870		243.5	WM	-	-	-	-	*	*	10	79	204	450	710	904	510	*		
	2581		138.0	WF	-	-	-	-	*	*	*	24	76	176	408	825	1069	-		
	953		249.5	BM	-	-	-	-	*	*	*	56	125	177	209	235	144	*		
	941		156.9	BF	-	-	-	-	*	*	*	23	79	115	172	246	303	*		
	19		56.5	OM	-	-	-	-	-	-	-	-	*	*	7	*	*	-		
	20		48.8	OF	-	-	-	-	-	-	-	-	-	-	*	10	*	-		
Acute myocardial infarction (I21-I22)	3398	76.0	83.4	ALL	-	-	-	-	*	*	9	95	287	549	758	976	721	*		
	1375		112.2	WM	-	-	-	-	-	-	5	44	122	285	348	378	192	*		
	1119		60.8	WF	-	-	-	-	-	-	*	8	51	100	215	380	363	-		
	467		119.1	BM	-	-	-	-	*	*	*	31	67	96	106	106	58	-		
	418		69.7	BF	-	-	-	-	-	*	-	12	46	65	85	104	105	-		
	9		29.4	OM	-	-	-	-	-	-	-	-	*	*	*	*	*	-		
	10		24.7	OF	-	-	-	-	-	-	-	-	-	-	*	6	*	-		
Other acute ischemic heart diseases (I24)	33	0.7	0.8	ALL	-	-	-	-	*	*	*	*	6	6	5	*	6	-		
	11		0.8	WM	-	-	-	-	*	*	*	*	*	*	*	*	*	-		
	8		0.5	WF	-	-	-	-	-	-	*	*	-	-	*	*	*	-		
	5		0.9	BM	-	-	-	-	-	-	*	*	*	*	*	*	*	-		
	8		1.3	BF	-	-	-	-	-	-	-	-	*	*	-	-	*	-		
	-		0.0	OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	*		2.6	OF	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
Other forms of chronic ischemic heart diseases (I20, I25)	3953	88.5	98.8	ALL	-	-	-	-	-	-	*	85	193	370	746	1245	1306	*		
	1484		130.5	WM	-	-	-	-	-	-	*	34	80	164	359	525	318	*		
	1454		76.7	WF	-	-	-	-	-	-	-	15	25	76	192	444	702	-		
	481		129.5	BM	-	-	-	-	-	-	-	25	57	80	102	129	86	*		
	515		86.0	BF	-	-	-	-	-	-	*	11	30	46	87	142	197	*		
	10		27.1	OM	-	-	-	-	-	-	-	-	*	*	5	*	*	-		
	9		21.5	OF	-	-	-	-	-	-	-	-	-	-	*	*	*	-		
Atherosclerotic cardiovascular Disease, so described (I25.0)	1348	30.2	33.8	ALL	-	-	-	-	-	-	*	32	76	134	210	384	509	*		
	452		39.9	WM	-	-	-	-	-	-	*	12	37	63	95	139	105	-		
	499		26.1	WF	-	-	-	-	-	-	-	8	8	23	46	136	278	-		
	185		50.7	BM	-	-	-	-	-	-	-	7	19	31	38	55	34	*		
	205		33.9	BF	-	-	-	-	-	-	-	5	11	16	29	52	91	*		
	5		13.9	OM	-	-	-	-	-	-	-	-	*	*	*	*	*	-		
	*		5.4	OF	-	-	-	-	-	-	-	-	-	-	-	*	-	-		

Table 27
Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age
Louisiana Residents, 2000

CAUSE OF DEATH AND ICD-10 CODE	TOTAL	RATES		RACE SEX	AGE IN YEARS															UNK
		CRUDE+	AGE- ADJ**		LT	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85+			
					1	4	9	14	19	24	34	44	54	64	74	84				
Nontransport accidents (W00- X59,Y86)	941 393 228 223 87 6 *	21.1	22.1 30.6 13.4 40.8 13.1 8.1 6.1	ALL WM WF BM BF OM OF	15 *	28 6 *	18 6 *	11 6 *	36 16 *	53 22 9 20 *	92 59 12 20 *	155 83 26 34 10 *	110 51 19 27 9 *	77 29 13 27 8 *	88 37 22 21 8 *	111 35 49 12 14 *	147 42 71 15 19 *	- - - - - - -		
Falls (W00-W19)	106 58 31 11 6 - -	2.4	2.6 4.9 1.7 2.5 0.9 0.0 0.0	ALL WM WF BM BF OM OF	-	-	-	-	-	-	6 *	12 8 *	12 10 *	9 5 *	16 7 *	21 11 9 *	28 11 14 *	- - - - - - -		
Accidental discharge of Firearms (W32- W34)	29 16 * 10 * - -	0.6	0.6 1.1 0.1 1.5 0.1 0.0 0.0	ALL WM WF BM BF OM OF	-	*	-	*	5 *	*	*	11 5 *	-	*	*	-	-	-		
Accidental drowning and Submersion (W65- W74)	95 46 6 37 5 - *	2.1	2.1 3.3 0.4 5.3 0.7 0.0 1.0	ALL WM WF BM BF OM OF	-	11 6 *	6 *	6 *	12 *	9 *	13 7 *	17 9 *	6 *	7 *	*	*	*	*		
Accidental exposure to smoke, fire and flames (X00- X09)	100 28 12 32 28 - -	2.2	2.3 2.0 0.8 4.9 4.1 0.0 0.0	ALL WM WF BM BF OM OF	*	10 *	11 *	*	*	8 *	6 6 *	17 6 *	7 6 *	12 5 *	9 *	13 *	*	-		
Accidental poisoning and exposure to noxious substances (X40- X49)	186 85 57 32 8 * *	4.2	4.2 5.9 3.9 5.5 1.2 2.8 2.4	ALL WM WF BM BF OM OF	-	-	-	-	7 5 *	21 10 5 5 *	34 20 9 5 *	61 30 18 9 *	41 15 14 5 *	7 *	8 *	5 *	*	-		
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35- W64,W75-W99, X10 X39,X50- X59,Y86)	425 160 120 101 39 * *	9.5	10.3 13.3 6.5 21.2 6.1 5.2 2.7	ALL WM WF BM BF OM OF	14 *	6 *	*	*	8 *	11 6 *	31 20 *	37 25 *	44 22 *	40 11 8 *	50 21 14 *	69 19 31 9 *	113 31 56 12 14 *	- - - - - - -		
Intentional self-harm (suicide) (X60- X84,Y87.0)	465 314 77 67 6 * -	10.4	10.6 22.6 5.1 10.6 0.8 1.3 0.0	ALL WM WF BM BF OM OF	-	-	-	*	30 18 *	47 32 11 20 *	92 61 19 20 *	95 59 19 14 *	76 53 18 *	45 31 9 5 *	36 27 7 *	33 25 6 *	9 7 * * *	- - - - - - -		
Intentional self-harm(suicide) by discharge of firearms (X72- X74)	324 236 41 44 * - -	7.2	7.4 17.1 2.8 7.1 0.4 0.0 0.0	ALL WM WF BM BF OM OF	-	-	-	*	21 12 *	31 24 5 7 *	62 45 13 12 *	58 34 9 *	50 39 6 *	37 26 *	29 25 *	27 23 *	8 7 * * *	- - - - - - -		

Table 27
Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age
Louisiana Residents, 2000

CAUSE OF DEATH AND ICD-10 CODE	TOTAL	RATES		RACE SEX	AGE IN YEARS													
		CRUDE+	AGE- ADJ**		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	UNK
Complications of medical and surgical care (Y40-Y84, Y88)	41	0.9	1.0	ALL	*	-	-	-	-	*	*	*	*	7	6	10	7	-
	15		1.3	WM	-	-	-	-	-	-	*	*	*	5	*	*	*	-
	13		0.7	WF	-	-	-	-	-	*	-	-	*	*	*	*	*	-
	*		1.0	BM	-	-	-	-	-	-	*	*	-	-	-	*	-	-
	9		1.4	BF	*	-	-	-	-	-	*	*	*	*	*	*	*	-
	-		0.0	OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		0.0	OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

+Crude death rate per 100,000 population

**Age-adjusted death rate per 100,000 2000 standard population

*** in cell indicates count is greater than 0 and less than 5.